



icmr
INDIAN COUNCIL
OF
MEDICAL
RESEARCH

NIN

NATIONAL INSTITUTE
OF NUTRITION

आई सी एम आर - राष्ट्रीय पोषण संस्थान
स्वास्थ्य अनुसंधान विभाग, स्वास्थ्य और परिवार
कल्याण मंत्रालय, भारत सरकार

ICMR – National Institute of Nutrition
Department of Health Research, Ministry of Health
and Family Welfare, Government of India

No.NIN/Maint/Q16/2020/45

Date: 25.09.2020

TENDER NOTICE

The Director, ICMR-National Institute of Nutrition, Tarnaka, Hyderabad invites sealed tenders till **09.10.2020** at 03.00 PM from reputed, experienced contractors/agencies with established experience and financial solvency to carry out the **“Construction of Ladies Wash Rooms in Ground Floor and 1st Floor at Animal Facility, NIN”** The details of the work are as follows:-

| S. No | Description | Unit | Qty | Rate | Amount |
|-------|---|------|-------|------|--------|
| 1. | Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 6.13.1 Cement mortar 1:3 (1 cement :3 coarse sand) | Sq.m | 19.40 | | |
| 2. | Supplying and filling brick bat concrete qirh 1:4:8 | Cum | 1.68 | | |
| 3. | 15 mm cement plaster on rough side of single or half brick wall of mix: ➤ 1:6 (1 cement: 6 coarse sand) | Sq.m | 38.80 | | |
| 4. | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | Sq.m | 22.00 | 3 | |
| 5. | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete | Sq.m | 7.00 | | |

| | | | | | |
|-----|--|-----|-------|--|--|
| 6. | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 20 mm nominal outer dia Pipes | Mtr | 22.00 | | |
| 7. | Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer -in-charge. 100 mm nominal size dia | Mtr | 18.00 | | |
| 8. | 4"Bends | No | 03 | | |
| 9. | 4"Tee | No | 03 | | |
| 10. | 4"Nanitrapp | No | 03 | | |
| 11. | Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : | No | 02 | | |
| 12. | Providing and fixing PTMT wiveling shower, 15 mm nominal bore, weighing not less than 40 gms | No | 01 | | |
| 13. | Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer | No | 01 | | |
| 14. | Providing and fixing of C.P. brass toilet paper holder of standard size | No | 02 | | |

| | | | | | |
|-----|--|------|----|--|--|
| 15. | Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade : 13.41.1 New work (two or more coats) over and including water thinnable priming coat with cement primer | Sq.m | 25 | | |
| 16 | Supplying and fixing of the following items | | | | |
| a. | Mirror | each | 01 | | |
| b. | Flush Tank | No | 02 | | |
| c. | Health Faucet | No | 02 | | |
| d. | 2 in 1 tap | No | 02 | | |
| e. | Tap | No | 03 | | |
| f. | SS Jalli | No | 03 | | |
| g. | Pillar cock | No | 01 | | |
| 17 | Providing and fixing of PVC door with frame as required size and approved colour | No | 03 | | |
| | Total | | | | |

Terms and conditions

1. The sealed cover should be super- scribed "**Construction of Ladies Wash Rooms in Ground Floor and 1st Floor at Animal Facility,NIN**"
2. Water will be provided by NIN, Hyderabad to the contractor.
3. The quotation should be addressed to "The Director, National Institute of Nutrition, Hyderabad".
4. The offer/quotation in sealed cover should reach the undersigned by **3.00 PM on or before 09.10.2020** along with **EMD 5% of the estimate cost** as Demand draft/Bank cheque/ Pay order of schedule bank and drawn in favour of **Director NIN, Hyderabad**) in Quotation Drop box at Maintenance Department. The offer/quotation received thereafter will not be considered. NIN, Hyderabad is not responsible for any postal delays. The sealed tenders will be opened on **09.10.2020 at 3.30 PM** in the office of Civil Engineer, NIN, Hyderabad.
5. It is the responsibility of the contractor to visit the site before submitting their offer/quotation, for which the bidder may contact Technical Officer (C) at 040-27197226/312 on all working days i.e. Monday to Friday except public holidays from 09.00 AM to 05.30 PM.
6. Director, NIN, Hyderabad has the right to accept or reject any quotation(s) without assigning any reasons.
7. The work shall be completed within 20 days from the date of award of the work.
8. The labour engaged and working equipment brought by the contractor for the work shall be recorded in the NIN Security Gate before entering into the premises and obtain necessary gate pass.
9. Payment will be made against the bill along with a statement of measurement taken in the presence of the contractor and the civil engineer of NIN, Hyderabad.

10. The contractor/bidder should indicate their Registration Number, PAN, GST, Bank Account number for making payments to the contractor as well as statutory authorities.
11. Quotation by email or fax will not be accepted.
12. The NIN, Hyderabad is not responsible for any damage caused to the labour/manpower engaged by the contractor for execution of the work.
13. Bills submitted by the contractor will be settled after certification by the Civil Engineer of NIN with regard to its quality. Any defect in the work has to be rectified free of cost by the contractor within six months from the date of completion of the work.
14. NIN, Hyderabad is not responsible for payment of wages to the manpower engaged by the contractor and statutory dues for the work at NIN.
15. Director, NIN, Hyderabad reserves the right to increase/decrease the quantity of work.

M. Chinnappa
25/09/2020

Chinnappa Rao
25/09/20
Technical Officer -C
Maintenance Department
For Director

To

1. Convener, - to upload the same in NIN's website Management Committee.
2. The Director, Centre for Cellular and Molecular Biology Uppal Road, Habsiguda, Hyderabad, Telangana 500007.
3. The Director, Indian Institute of Chemical Technology, Uppal Road, IICT Colony, Tarnaka, Hyderabad, Telangana 500007.
4. The Director, National Geophysical Research Institute, Uppal Road, Habsiguda, Hyderabad, Telangana 500007.
5. The Chief Administrative Officer, Nuclear Fuel Complex, ECIL, Moula-ali, Hyderabad, Telangana 500062.